

## IN THE CLAIMS:

Claims 1-8 and 30-41 remain in the application. Applicants amended claims 1, 30, 32, 36. The listing of claims replaces all prior versions, and listings, of claims in the application.

### Listing of the Claims:

1. (Currently Amended) A printed circuit board (PCB) comprising:  
a dielectric board member; and  
a first signal line supported on said dielectric board member, said first signal line including an elongated electrically conductive member that is enshrouded with a carbon-based cladding having a carbon concentration greater than 60 percent by weight over at least a portion of the elongated conductive member.
2. (Previously presented) The PCB of claim 1, further comprising:  
a second signal line supported on said dielectric board member, said second signal line including a second elongated conductive member that is enshrouded with a carbon-based cladding over at least a portion of its length, said second signal line being adjacent to said first signal line.
3. (Original) The PCB of claim 2, wherein:

said carbon-based cladding of said second signal line is continuous with said carbon-based cladding of said first signal line.

4. (Original) The PCB of claim 2, wherein:

said carbon-based cladding of said second signal line is discontinuous with said carbon-based cladding of said first signal line.

5. (Previously presented) The PCB of claim 1, further comprising:

a second dielectric board member disposed above said dielectric board member and said first signal line.

6. (Original) The PCB of claim 1, wherein:

said elongated conductive member is fully covered over top, bottom and side portions thereof with said carbon-based cladding for said at least a portion of its length.

7. (Original) The PCB of claim 1, wherein:

said elongated conductive member is covered by said carbon-based cladding over greater than 90% of an outer surface thereof.

8. (Original) The PCB of claim 1, wherein:

said carbon based cladding has a dielectric constant that is greater than a dielectric constant associated with said dielectric board member.

9-29. (Cancelled)

30. (Currently Amended) A carbon-based cladding structure for a printed circuit board (PCB), the structure comprising:

a carbon-based cover having a carbon concentration higher than 60 percent by weight; and

a dielectric board member having a plurality of conductor elements, at least one of said plurality of conductor elements fully covered over top, bottom, and side portions thereof with said carbon-based cover.

31. (Previously Presented) The claim of 30, wherein:

at least two of said plurality of conductor elements fully covered top, bottom, and side portions thereof with said carbon-based cover and said carbon-based cover of one of said plurality of conductor elements connects to another carbon-based cover of another of said plurality of conductor elements.

32. (Currently Amended) The claim of 30, wherein:

said carbon-based cover is formed of at least ~~[[60]]~~99% of carbon by weight.

33. (Previously Presented) The claim of 30, wherein:

said carbon-based cover has a dielectric constant that is greater than a dielectric constant associated with said dielectric board member.

34. (Previously Presented) The claim of 31 further comprising:  
a second dielectric board member located above said carbon-based cover.
35. (Previously Presented) The claim of 32, wherein:  
the conductor elements are signal lines.
36. (Currently Amended) A printed circuit board (PCB) comprising:  
a dielectric board member; and  
a first signal line atop said dielectric board member, said signal line  
enshrouded by a carbon-based cladding having a carbon concentration  
~~approximately equal to or~~ greater than 60% by weight.
37. (Previously Presented) The PCB of claim 36, wherein:  
said carbon concentration is approximately 99% by weight.
38. (Previously Presented) The PCB of claim 36 further comprising:  
a second signal line atop said dielectric board member surrounded by a  
carbon-based cladding having a carbon concentration approximately equal to or  
greater than 60% by weight.
39. (Previously Presented) The PCB of claim 38, wherein:  
said carbon-based cladding of said first signal line is contiguous with said  
second signal line.

40. (Previously Presented) The PCB of claim 38 further comprising:  
a second dielectric board member located over said first and second signal  
line.

41. (Previously Presented) The PCB of claim 36, wherein:  
said carbon-based cladding surrounds approximately 90% of the first signal  
line.